

Material Safety Data Sheet

Classic Tool Design 31 Walnut Street, New Windsor, NY 12553

Emergency Phone: 845-562-1442

Effective Date: 1-02-02

Product Part No. 22-1491

Product Name: Classic Flush RE

1. Ingredients:

Section 313 Supplier Notification

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the emergency planning and community right-to-know act of 1986 and of CFR 372.

CAS#	CHEMICAL NAME	% by NT.
------	---------------	----------

There are no Section 313 chemicals in this product. All materials are TSCA inventory. 98% of chemicals are on GRAS list.

This information must be included in all MSDS that are copied and distributed for this material.

2 Physical Data:

Boiling point above 300 deg. F.  
Vapor pressure 0.1 mm Hg @ 68 deg. F.  
Vapor density heavier than air  
Solubility in water complete  
Specific gravity 1.03  
Evaporation rate not determined  
Volatile not determined  
Appearance off-white liquid  
Odor almost nil at room temperature  
Other PH very slightly alkaline (8.0)

3 Fire & Explosion Hazard Data:

Flash Point: 280 deg F TOC  
Autoignition Temperature: not known  
Flammable Limits LFL not determined, UFL not determined  
Extinguishing Media: carbon dioxide, foam, dry powder,  
Water may cause foaming and should be used with caution  
Fire fighting equipment: wear a positive pressure self-contained breathing Apparatus.

4. Reactivity Data

Stability: normally stable, conditions to avoid strong oxidizers

Incompatibility: This product is designed to be used as is at approximately room temperature. Avoid mixing with strong oxidizers, acids or alkalies.

Hazardous decomposition products: None under normal usage. In a conflagration, carbon monoxide, oxides of nitrogen and sulfur, aldehydes and other noxious compounds may be formed.

Hazardous Polymerization: will not occur

5 Environmental and disposal information:

Action to take for spills/leaks:

Small spills: mop-up or use sorbent and place in container for later disposal. Rinse area to avoid slip.

Large spills: Dike and siphon into containers for later disposal. Avoid run-off into waterways. Not a DOT hazardous material classification.

Disposal Method: Send to licensed facility.

6 Health hazard data:

EYE: May cause pain and irritation on contact. Corneal injury is unlikely in event of one-time contact provided immediate action is taken to rinse eye with Water.

Skin contact: Prolonged or repeated contact may cause skin irritation. May cause drying or flaking of skin due to removal of natural oils.

Skin absorption: A single prolonged exposure is not likely to result in this material being absorbed through the skin in harmful amounts.

Ingestion: May be harmful if ingested. Very slightly toxic. May cause nausea, Abdominal discomfort, vomiting or diarrhea.

Inhalation: Inhalation unlikely in normal usage. Mists of product may be irritating To mucous membranes and should be avoided.

7. First Aid:

**EYES:** If splashed into the eyes flush with clear water for 15 minutes or until irritation subsides. If irritation persists call a physician.

**SKIN:** In case of skin contact remove any contaminated clothing and wash skin thoroughly with soap and water.

**INHALATION:** If overcome by vapor remove from exposure and call a physician immediately. If breathing has stopped or is irregular start resuscitation, administer oxygen if available.

**INGESTION:** If ingested do not induce vomiting, call a physician immediately.

8. Handling Precautions:

**Exposure Guideline:** Not known for product mixture

**Company recommendation** 5 mg/cu.m.

**VENTILATION:** Control airborne concentrations below the exposure guideline. Use only with adequate ventilation. Local exhaust may be necessary for some operations.

**RESPIRATORY PROTECTION:** Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, use an approved air-purifying respirator. For emergency and other conditions where the exposure guideline may be greatly exceeded, use an approved positive-pressure self-contained breathing apparatus.

**SKIN PROTECTION:** For brief contact, no precautions other than clean body-covering clothing should be needed. When prolonged or repeated contact could occur, use protective clothing impervious to this material.

**EYE PROTECTION:** Use safety glasses when contact with liquid is likely. Chemical goggles are recommended.

## 9. ADDITIONAL INFORMATION

handle with reasonable care. Store indoors at a temperature between 40 and 100 degrees F. Open containers carefully, allowing internal pressure to equalize before removing bung completely.

This material safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we received from sources outside our company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.