



# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2015

Reviewed on 12/22/2014

## 1 Identification

- **Product identifier**
- **Product name: Custom 10% (V/V) Devolatilized Gasoline (10% lights removed at 160F) in 75 cSt Hydrocarbon Oil**
- **Part number:** VHGXGASFD-10P-100
- **Application of the substance / the mixture** Reference material for laboratory use only
- **Manufacturer/Supplier:**  
VHG Labs, Inc  
LGC Standards  
276 Abby Road  
Manchester, NH 03103  
UNITED STATES OF AMERICA  
Tel : +1 (603) 622-7660  
Fax : +1 (603) 622-5180  
eMail : custsvc@vhglabs.com  
Web : www.vhglabs.com
- **Information department:**  
Product safety department  
eMail : sds-request@lgcgroup.com
- **Emergency telephone number:** 800-424-9300 Chemtrec (24 hrs)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 2                    H351 Suspected of causing cancer.  
STOT RE 2                H373 May cause damage to organs through prolonged or repeated exposure.  
Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS08

- **Signal word** Warning

- **Hazard-determining components of labeling:**

Gasoil : fuels, diesel, nr 2

- **Hazard statements**

H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

P280                    Wear protective gloves/protective clothing/eye protection/face protection.  
P260                    Do not breathe dust/fume/gas/mist/vapors/spray.  
P273                    Avoid release to the environment.  
P308+P313            IF exposed or concerned: Get medical advice/attention.  
P405                    Store locked up.  
P501                    Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2015

Reviewed on 12/22/2014

**Product name: Custom 10% (V/V) Devolatilized Gasoline (10% lights removed at 160F) in 75 cSt Hydrocarbon Oil**

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Also contains substances at levels not considered to be hazardous.

- **Dangerous components:**

CAS: 68476-34-6	Gasoil : fuels, diesel, nr 2	< 10%
RTECS: LS9142500	⚠ Flam. Liq. 3, H226; ⚠ Carc. 2, H351; ⚠ STOT RE 2, H373; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315	

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Rinse mouth. Do not induce vomiting.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

US

(Contd. on page 3)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2015

Reviewed on 12/22/2014

**Product name: Custom 10% (V/V) Devolatilized Gasoline (10% lights removed at 160F) in 75 cSt Hydrocarbon Oil**

(Contd. of page 2)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Store in cool, dry place in tightly closed receptacles.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Please refer to the manufacturers certificate for specific storage and transport temperature conditions.  
Store only in the original receptacle.  
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

68476-34-6 Gasoil : fuels, diesel, nr 2

TLV	Long-term value: 100 mg/m <sup>3</sup> as total hydrocarbons;Skin;inh. fraction + vapor
-----	--

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

(Contd. on page 4)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2015

Reviewed on 12/22/2014

**Product name: Custom 10% (V/V) Devolatilized Gasoline (10% lights removed at 160F) in 75 cSt Hydrocarbon Oil**

(Contd. of page 3)

· **Breathing equipment:**

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.*

· **Protection of hands:**



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

*The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374*

· **Material of gloves**

*Nitrile rubber, NBR*

*Natural rubber, NR*

*PVC gloves*

*Neoprene gloves*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye protection:** Safety glasses

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	<i>Oily</i>
· <b>Color:</b>	<i>Brown</i>
· <b>Odor:</b>	<i>Mineral-oil-like</i>
· <b>Odour threshold:</b>	<i>Not determined.</i>

· **pH-value:** *Not determined.*

· **Change in condition**

· <b>Melting point/Melting range:</b>	<i>Not determined.</i>
· <b>Boiling point/Boiling range:</b>	<i>Not determined.</i>

· **Flash point:** *Not applicable.*

· **Flammability (solid, gaseous):** *Not determined.*

· **Ignition temperature:** *220 °C (428 °F)*

· **Decomposition temperature:** *Not determined.*

· **Auto igniting:** *Product is not selfigniting.*

· **Danger of explosion:** *Not determined.*

· **Explosion limits:**

· <b>Lower:</b>	<i>Not determined.</i>
· <b>Upper:</b>	<i>Not determined.</i>

· **Vapor pressure:** *Not determined.*

· **Density:** *Not determined.*

(Contd. on page 5)



## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 03/20/2015

Reviewed on 12/22/2014

**Product name: Custom 10% (V/V) Devolatilized Gasoline (10% lights removed at 160F) in 75 cSt Hydrocarbon Oil**

(Contd. of page 4)

- |  |   |
|--|---|
| <b>· Relative density</b>  | <i>Not determined.</i>                            |
| <b>· Vapour density</b>  | <i>Not determined.</i>                            |
| <b>· Evaporation rate</b>  | <i>Not determined.</i>                            |
| <b>· Solubility in / Miscibility with Water:</b>                         | <i>Not miscible or difficult to mix.</i>          |
| <b>· Partition coefficient (n-octanol/water):</b> <i>Not determined.</i> |   |
| <b>· Viscosity:</b>  |   |
| <b>Dynamic:</b>  | <i>Not determined.</i>                            |
| <b>Kinematic:</b>  | <i>Not determined.</i>                            |
| <b>· Other information</b>   | <i>No further relevant information available.</i> |

### 10 Stability and reactivity

- **Reactivity** *Stable under normal conditions.*
- **Chemical stability** *Stable under normal conditions.*
- **Thermal decomposition / conditions to be avoided:**  
*Formation of toxic gases is possible during heating or in case of fire.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *Heat.*
- **Incompatible materials:** *Strong oxidizing agents.*
- **Hazardous decomposition products:** *Formation of toxic gases is possible during heating or in case of fire.*

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *No irritating effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**  
*The product shows the following dangers according to internally approved calculation methods for preparations:*

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

68476-34-6	Gasoil : fuels, diesel, nr 2	2B
------------	------------------------------	----

- **NTP (National Toxicology Program)**

<i>None of the ingredients is listed.</i>
---

- **OSHA-Ca (Occupational Safety & Health Administration)**

<i>None of the ingredients is listed.</i>
---

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*

(Contd. on page 6)



## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 03/20/2015

Reviewed on 12/22/2014

**Product name: Custom 10% (V/V) Devolatilized Gasoline (10% lights removed at 160F) in 75 cSt Hydrocarbon Oil**

(Contd. of page 5)

- **Behavior in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Ecotoxicological effects:**
- **Remark:** *Harmful to fish*
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 2 (Self-assessment): hazardous for water*  
*Do not allow product to reach ground water, water course or sewage system.*  
*Danger to drinking water if even small quantities leak into the ground.*  
*Harmful to aquatic organisms*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Dispose in accordance with national regulations.*

### 14 Transport information

- |  |                        |
|--|------------------------|
| · <b>UN-Number</b>   |                        |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | <i>Not applicable</i>  |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | <i>Not applicable</i>  |
| · <b>Transport hazard class(es)</b>  |                        |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   |                        |
| · <b>Class</b>   | <i>Not applicable</i>  |
| · <b>Packing group</b>   |                        |
| · <b>DOT, ADR, IMDG, IATA</b>  | <i>Not applicable</i>  |
| · <b>Environmental hazards:</b>  |                        |
| · <b>Marine pollutant:</b>   | <i>No</i>              |
| · <b>Special precautions for user</b>  | <i>Not applicable.</i> |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | <i>Not applicable.</i> |
| · <b>UN "Model Regulation":</b>  | <i>-</i>               |

US

(Contd. on page 7)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2015

Reviewed on 12/22/2014

**Product name: Custom 10% (V/V) Devolatilized Gasoline (10% lights removed at 160F) in 75 cSt Hydrocarbon Oil**

(Contd. of page 6)

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

68476-34-6 Gasoil : fuels, diesel, nr 2

A3

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS08

- **Signal word** Warning

- **Hazard-determining components of labeling:**

Gasoil : fuels, diesel, nr 2

- **Hazard statements**

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/attention.

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2015

Reviewed on 12/22/2014

**Product name: Custom 10% (V/V) Devolatilized Gasoline (10% lights removed at 160F) in 75 cSt Hydrocarbon Oil**

(Contd. of page 7)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. We warrant that the chemical meets the specifications set forth on the label. We (LGC/VHG/ARMI) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

· **Date of preparation / last revision** 03/20/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Carc. 2: Carcinogenicity, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

· **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

US